

### Receiving

- Conduct site survey to confirm unit can be installed
- Verify a loading dock or forklift is available
- Remove straps, padding, and/or crating material
- Inspect for damage

### Highball Tower

- Disassembly Hoshizaki Tower
  - Take valve and top portion of tower off
- Insert disassembled Hoshizaki Tower into New Tower
  - Make sure to slide LED wire from new tower in between Hoshizaki tower and Insulated lines
- Install o ring and large plate to bottom of both towers
  - Using screws from new tower accessories bag
- Mount new tower assembly to bar clamp
- Clamp tower to bar
- If not using bar clamp drill holes in bar top

### Ice bin

- Verify drain connection to floor drain.
- Fill with ice

### Liquor System


- Provide & secure spirits

### Testing

- Pour and test drink quality
  - Ratio should be set at - Toki, Roku, and Haku = 3:1
  - Ratio should be set at - Jim Beam, Hornitos, and El Tesoro (Tequila) = 4:1

### Troubleshooting

- Low carbonation / flat drinks - Out of Co2, pressure set below 110 psi, or no ice on cold plate
- No carbonated water, just Co2 - carbonator timed out or unplugged
- No carbonated water or spirits - Handle not making contact with paddle arms
- Foamy drinks - No ice on cold plate
- Too strong or too weak - check ratio




### Specifications

#### Dimensions


Width: 23.25 inches  
Depth: 21.25 inches  
(26.25 inches w/ Liquor Rail)  
Height: 37.00 inches

#### Weight

Shipping: 263 lbs



### WATER STAND OPTION



#### Materials


ITEM NO.	PART NUMBER	DISCRIPTION	QTY.
10	51-7862	WELDMENT, BASE, REMOVABLE, STAND	1
20	27-2198	TANK, 17-GAL, FRESH WATER	1
30	01-4138	ADAPTER, ELBOW, 1/2"FNPT X 1/2"MNPT	1
40	01-4154	FITTING, QD 1/2" NPT SOCKET, CPC-60400	1
50	01-4131	FITTING, QD 1/2" NPT SOCKET, CPC-63600	1
60	86-1010	PUMP, WATER, SHURFLO-2088-594-144	1
70	01-4133	ADAPTER, ELBOW, 1/2"FNPT X 3/8" BARB	2
80	07-0436	CLAMP, STPLS, OETIKER, 21/32	21

#### Specifications:

##### Dimensions

Width: 9.88 inches  
Depth: 21.25 inches  
Height 6.00 inches  
(33.00 inches w/ 17 Gal Tank)

### CO2 TANK STAND OPTION



#### Materials

ITEM NO.	PART NUMBER	DISCRIPTION	QTY.
10	51-7862	WELDMENT, BASE, REMOVABLE, STAND	1
20	20-0005	CYLINDER, CO2, 20 LB	1
30	18-1005	REGULATOR CO2, TAPRITE, W 5/16B, #60 #2000 GUAGE	1
40	82-7098	CYLINDER HOLDER, SINGLE, W/ STRAP	1
50	04-2176	NUT, 10-24, CAP, SS	2
60	04-0042	STUD, WELD, 10-24 X .375, SS	2
70	18-0800	REG, SECONDARY SODA, WALLMOUNT	1
80	01-1280	TEE, SS, 1/4 BARB	2
90	08-0349	TUBING, WHITELIN, .265 X .457, 500 FT	20
100	07-0409	CLAMP, STPLS, OETIKER, 9/32	18

#### Specifications:

##### Dimensions

Width: 9.88 inches  
Depth: 21.25 inches  
Height 6.00 inches